Lido Kultur & Veranstaltungs GmbH
Ebereschenallee 7
14050 Berlin

Venue:
Cuvrystraße 7
10997 Berlin

www.lido-berlin.de
facebook.de/lidoberlin

Mail: info@lido-berlin.de
Fon: +49 30 69 56 68 40
Fax: +49 30 69 56 68 42

Lido

VENUE SPECS 2016

Noise Control: **sound@lido-berlin.de**

FOH DESK

AVID SC48

48 analog mic/line XLR inputs, 16 analog line outputs

PA

FRONT PA

	8 x MARTIN AUDIO W8C Top
	1 x 12"/1 x 6,5"/1 x 1"
	8 x MARTIN AUDIO WSX Subbass
	1 x 18" Horn Loaded
AMPRACK	2 x LAB Gruppen / 2 x 10 KW 4 Weg aktiv
	1 x XTA DP 448

REAR PA

SPEAKER	4 x Altec Lansing Cabinet with 2 x 15"
	Coax Speaker / 2 x 15" Bass Speaker
AMPING	1 x QSC RMX 2450
	1 x RMX 5050
CROSSOVER	BSS FDS 336T Minidrive

MONITORING

SPEAKER	7 x MartinAudio LE 400C
	1 x MartinAudio F215 (drumfill)
AMPING	7 mixes / 3 x Crest CC2800
	1 x Crest CC4000

separater Monitorplatz / for separate monitoring

DESK

Yamaha LS-9 32 CH

MICROPHONES

2 x Shure Beta 52
1 x Shure SM 91
9 x Shure SM 57
2 x Shure Beta 57
9 x Shure SM 58
2 x Shure Beta SM58
1 x EV RE20
2 x Sennheiser MD421
6 x Sennheiser e604
2 x Sennheiser e906
4 x AKG C391
1 x AKG C lOOOS

D.I. BOXES

PASSIVE D.I. BOXES
4 x palmer di-box mono
2 x palmer di-box stereo
3 x img di-box mono
1 x millenium di-box mono

ACTIVE D.I. BOXES
4 x bss di-box mono
3 x art x-direct di-box mono
3 x behringer di-box mono
1 x millenium di-box mono
2 x audiotec 4-channel di-box

DJ

1 x Mixer Pioneer DJM 600
1 x Mixer Pioneer DJM 800
1 x Mixer Pioneer DJM 900 Nexus
2 x Turntable Technics SL-1210 MK II
4 x CD-Player Pioneer CDJ 1000
2 x CD-Player Pioneer CDJ 2000 Nexus
2 x Turntable Pioneer PLX-1000

Lido

VENUE SPECS 2016

Noise Control: **sound@lido-berlin.de**

LIGHTS (light@lido-berlin.de)

ON STAGE

12 x LITECRAFT AT3 LED PAR 64
4 x ROBE ROBIN100 LEDBEAM
18 x PAR 64 CP87/NSP
4 x STRAND QUARTET PC
6 x STRAND QUARTET 22/40 PROFILE
2 x ETC SOURCE FOUR JR. (MIRRORBALL)
2 x 8-LITEBLINDER
1 x HAZEBASE BASE HAZER PRO á 1500 W
3 x ULTRALITE STROBE2000 á 800 W
(only by production requests)
4 x LITECRAFT AT3 LED PAR 64 FLOOR
(only by production requests)
4 x GLP YPOC 575

CONTROLLING

CHAMSYS MQ40 + EXTRA WING

DIMMERUNIT

1 x PEGASUS DIGITAL DIMMER á 12 CHANNELS
(FUSE 12 x C 16A)
2 x CAMCO 1210 DIGITAL DIMMER á 12 CHANNELS
(FUSE 12 x K 10A)

ON DANCEFLOOR

2 x GLP IMPRESSION 90RGB
1 x STAIRVILLE M-FOG 1000 DMX MACHINE
(Fluidvolume 240 m^3/min)
2 x ROBE ROBIN 100 LEDBEAM

CONTROLLING

1 x CHAMSYS MAGIC Q40 + EXTRA WING

AVAILABLE VOLTAGEPLUGS FOR PRODUCTION USE

1 x CEE 3 x 63A / 400V FUSE 63A (D02)
3 x CEE 3 x 32A / 400V FUSE 35A (D02)

VOLTAGEPLUGS IN USE

1 x CEE 3 x 32A / 400V FUSE 32A (B32)
1 x CEE 3 x 16A / 400V FUSE 16A (L16A)
3 x SCHUKO / 230V FUSE 16A (B16)

VIDEO

1 x PANASONIC PT-EX800 / 7500 Ansilumen
(extra costs for use)
1 x Screen 4m x 5m (extra costs for use)
1 x DVD Player Panasonic DVD-S325
30m VGA from Beamer to FOH or Stage

!PLEASE NOTICE:
BRING YOUR OWN THUNDERBOLD OR HDMI ADAPTERS TO VGA!

STAGE

HEIGHT	1m
WIDE	7m
DEPTH	4m
CLEARANCE	4m
1 x Drumriser:	2m x 2m

HALL

DEPTH	13,84m

BACKSTAGE

1 room with shower and toilet and direct access to stage, with WIFI

PRODUCTION OFFICE

1 production office with WIFI

PARKING

sleepercoach/nightliner (Schlesische Str. 15)

LAUNDRY

washing machine & dryer available

Lido

VENUE SPECS 2016

Noise Control: **sound@lido-berlin.de**

LIGHTS (light@lido-berlin.de)

- PAR 64
- QUARTET PC
- QUARTET PROFILE
- 8 LITE BLINDER
- ROBIN100 LED BEAM
- YPOC 575 PRO
- AT 3 LED PAR

BACK



FRONT

LIGHTS (light@lido-berlin.de)

PATCH

FIXTURE	QUALITY	LOCATION	MODE	DMX-ADRESS	DMX-LINE
LITECRAFT at3 ledpar64	12	stage	mode 4 / 7 channels	1/8/15/22/29/36/ 43/50/57/64/71/78	A
GLP ypoc 575 pro	4		normal / 16 channels	85/101/117/133	
ROBE robin 100	4		mode 6 / 37 channels	200/237/274/311	
HAZEBASE base*hazer*pro	1		2 channels	500	
CAMCO / PEGASUS	36		36 Channels	1–36	B
par64 cp 87 stage left				1–6	
par64 cp 87 stage mid				25–30	
par64 cp87 stage right				19–24	
STRAND cantata planconfex				32/33/35/36	
STRAND cantata profile 22/40				13–18	
8lite blinder				7/8	
ETC source four jr mirrorball				31/34	
LITECRAFT at3 ledpar64 floor	4		mode 4 / 7 channels	37/44/51/58	
ROBE robin 100	2	room	mode 6 / 37 channels	348/385	A
GLP impression 90	2		normal / 14 channel	170/185	

LIDO patch. Updateversion 7. June 2015

VENUE SPECS 2016

Noise Control: **sound@lido-berlin.de**

LIDO Kultur & Veranstaltungs GmbH
Ebereschenallee 7, 14050 Berlin

VENUE
Cuvrystraße 7, 10997 Berlin

www.lido-berlin.de
facebook.de/lidoberlin

Fon: +49 30 69 56 68 40
Fax: +49 30 69 56 68 42

PARKING & LOAD IN
Parking available from 10 am on at Schlesische Str. 15
Bus Power available
Load in from there (5 m, JUST ONE STEP)

LOCATION PLAN/CONTACT

SOUND	sound@lido-berlin.de
LIGHT	light@lido-berlin.de
VENUE	info@lido-berlin.de
BOOKING	booking@lido-berlin.de

GOOGLE MAPS LINK

©2007 Google · Kartendaten ©2007 TeleAtlas

Lido

VENUE SPECS 2016

Noise Control: **sound@lido-berlin.de**



VENUE SPECS '16

LIDOLINO (60-120 PAX)

extra cost for use

· as 2nd Floor
· for Aftershow Partys
· as Backstage Extension

Specs

DJ

1 x Mixer Pioneer DJM 600
1 x Mixer Pioneer DJM 800
2 x Turntable Technics SL-1210 MK II
4 x CD-Player Pioneer CDJ 1000
2 x Turntable Pioneer PLX-1000

VIDEO

1 x Beamer Acer P1515
1 x Screen 2,2m x 1,2m

LOCATION

Cuvrystraße 9, 10997 Berlin
Fon: +49 30 69 56 68 40
Fax: +49 30 69 56 68 42

CONTACT

Online-Anfrage
LIDO Kultur & Veranstaltungs GmbH
Ebereschenallee 7, 14050 Berlin
www.facebook.com/Lidolino.berlin

VENUE SPECS '16